

METEOR STIP MARUNDA

Maritime Institute of Jakarta

The Impact of Ecoport Socialization and Port Waste Management System on Greenport Implementation

¹Tri Joko Waluyo, ²Rizal Rochmansyah , ³ Pesta Veri Ahmadi Napitupulu, ⁴Rachman Rani, ⁵Kevin Alif Ariyan Putra

¹PT.Salam Pacific Indonesia Line ^{2,3}Sekolah Tinggi Ilmu Pelayaran ⁴Kupp Tana PaserDitjen Hubla ⁵Bayan Resources, Tbk

email: rizal.rochmansyah@gmail.com

Submitted on: 10/11/2023 Revised: 30/05/2024 Accepted: 31/05/2024

Abstract

Port Waste Management System (PWMS) is a comprehensive waste management approach employed at ports to mitigate environmental harm. PWMS encompasses the collection, segregation, and disposal of various types of waste generated at ports, including solid, liquid, and hazardous waste. Through the adoption of sustainable technologies such as renewable energy and efficient water management, ports can significantly reduce their carbon footprint and ecological impact. Ecoport and Port Waste Management System advocate for sustainable practices within port operations. This study aims to assess the influence of the Ecoport Socialization Program on Greenport implementation at Tanjung Priok Port, aiming to enhance awareness regarding the importance of minimizing environmental impact and improving resource efficiency within the port sector. The findings indicate a positive and statistically significant relationship between the Port Waste Management System (X2) and Greenport Implementation (Y), with a coefficient value (Original Sample column) of 0.579 and P-Values of 0.000 < 0.05. Furthermore, the Q-Square (Q2) value for Greenport Implementation (Y) is 0.465, indicating that Ecoport Socialization (X1) and Port Waste Management System (X2) possess predictive relevance for Greenport Implementation (Y). Combined, Ecoport Socialization (X1) and Port Waste Management System (X2) account for 59.6% of the variance in Greenport Implementation (Y), with the remaining 40.4% attributable to other factors. In conclusion, this study demonstrates that Ecoport socialization and Port Waste Management System significantly contribute to explaining Greenport Implementation.

Copyright ©2024, **METEOR STIP MARUNDA**, pISSN: 1979-4746, eISSN: 2685-4775

Keywords: Port Waste Management System (PWMS), Greenport, Ecoport, Greenport Implementation

INTRODUCTION

Ecoport and Port Waste Management System (PWMS) are pivotal tools and strategies aimed at achieving sustainable goals within port management. Ecoport embodies a sustainabilitydriven approach, integrating economic, social, and environmental facets into decision-making processes and operational practices within ports. On the other hand, PWMS is a tailored waste management system devised to mitigate the environmental impacts of waste adverse generated at ports (Ferreira et al., 2020). This includes the comprehensive collection, segregation, and management of various waste streams, encompassing solid, liquid, hazardous waste. The implementation of Ecoport and PWMS is instrumental in fostering practices. Greenport thereby contributing positively to environmental sustainability.

Ecoport initiatives offer multifaceted benefits, notably enhancing port operational efficiency and reducing the reliance on unsustainable natural resources. Through the adoption of eco-friendly technologies such as renewable energy sources and efficient water management systems, ports can significantly diminish their carbon footprint and mitigate other adverse environmental impacts. Moreover, the adoption of Ecoport and PWMS aligns port operations with international sustainability and environmental standards. One such significant standard is ISO 14001:2015 - Environmental Management Systems, which underscores the importance of effective and sustainable environmental management practices (Ong, T.S. et al., 2023). However, despite the evident benefits, the implementation of these strategies is not without its challenges. One of the primary challenges faced in implementing Ecoport and PWMS is the constraint of limited resources.

The establishment and maintenance of ecofriendly infrastructure and waste management substantial systems require financial investments, which may pose challenges, especially for smaller ports with limited budgets. Additionally, effective coordination between various agencies and stakeholders is crucial for successful implementation of these strategies. This necessitates the development of partnerships collaboration strong and

frameworks among port authorities, government agencies, and private stakeholders. Furthermore, garnering raising awareness and participation from relevant stakeholders, including port workers, local communities, and environmental groups, are paramount for the successful implementation of Ecoport and PWMS initiatives. Ecoport and PWMS represent integral components of sustainable port management practices, offering a pathway towards achieving environmental sustainability goals.

While these strategies present significant benefits, addressing challenges such as limited coordination. resources. and stakeholder engagement is essential for their effective implementation. By overcoming these challenges, ports can enhance their environmental performance. comply with international standards, and contribute positively towards a greener and more sustainable future. In order to surmount the multifaceted challenges implementing sustainability initiatives within port environments, a concerted effort involving stakeholders from diverse sectors is indispensable. Collaboration among governmental bodies, port authorities, private enterprises, and local communities is imperative throughout the planning and execution phases.

incorporation The of stakeholders' perspectives and expertise enhances the efficacy and inclusivity of sustainability strategies, facilitating their successful implementation. The integration of Ecoport initiatives and Port Waste Management Systems (PWMS) within the framework of Greenport implementation engenders a spectrum of consequential phenomena, each contributing to the advancement of environmental sustainability within port operations. These phenomena encompass:

1. Augmented sustainability consciousness: The deployment of Ecoports and PWMS fosters a heightened awareness of sustainable practices among port stakeholders. This phenomenon precipitates a collective recognition of the imperative to mitigate environmental impacts and enhance

resource efficiency within the port sector.

- 2. Policy and regulatory evolution: The adoption of Ecoport and PWMS initiatives may precipitate policy and regulatory adaptations at local, national, and international levels. This regulatory impetus compels ports to conform to established sustainability standards, thereby ensuring alignment with environmentally sound practices and robust waste management protocols.
- 3. Mitigation of environmental ramifications: Ecoport and PWMS endeavours are expressly designed to mitigate the adverse environmental repercussions associated with port activities. This encompasses enhancements in energy efficiency, the integration of renewable energy sources, optimised waste management practices, and the preservation of coastal ecosystems.
- Enhancement of community well**being:** The implementation of Ecoport **PWMS** initiatives engenders tangible benefits for communities residing in the vicinity of ports. By curbing pollution levels and enhancing waste management protocols, these initiatives ameliorate air and water port quality in the environs. consequently fostering enhanced community health and quality of life.
- 5. Fostering collaborative partnerships: A pivotal facet of the Ecoport and PWMS paradigm is the cultivation of synergistic relationships among ports, governmental entities, communities, and pertinent industry stakeholders. These initiatives advocate for the active involvement of all stakeholders in decision-making processes and the implementation of sustainable solutions, thereby fostering harmonious and mutually reinforcing relationships within the port ecosystem.
- 6. Accrual of competitive advantage:
 The implementation of Ecoport and
 PWMS initiatives confers a discernible

competitive edge upon ports. Ports that embrace eco-friendly practices and institute effective waste management systems are positioned to attract environmentally conscious shipping companies, cargo handlers, and allied enterprises, thereby bolstering their market competitiveness and fostering long-term sustainability.

The collaborative engagement of stakeholders and the adoption of Ecoport and represent instrumental **PWMS** initiatives imperatives in surmounting the challenges associated with achieving sustainability within port environments. objectives harnessing collective expertise and fostering inclusive partnerships, ports can navigate the complexities of sustainability implementation, thereby realising enhanced environmental stewardship and fostering resilience in the face evolving regulatory landscapes environmental exigencies.

The inadequacies in the maximization of the Ecoport socialization program and the proper implementation of the Port Waste Management System are evident, indicating a gap in the current approach to Greenport implementation. Furthermore, the review highlights a lack of stakeholder engagement, further hindering the implementation of Greenport effective initiatives. Additionally, inadequate supervision of the Port Waste Management System's implementation and limited human resources pose significant challenges to the successful execution of sustainable practices within the port environment.

This study seeks to address these gaps by examining the impact ofthe Ecoport Socialization Program on Greenport implementation at Tanjung Priok Port. Specifically, the research aims to determine the extent to which the Ecoport Socialization Program influences the adoption of green practices within the port. Additionally, the study seeks to analyse the effect of the Port Waste Management System on the implementation of Greenport at Tanjung Priok Port, assessing its role in reducing environmental impacts and improving waste management practices. Furthermore, the research aims to evaluate the

combined impact of the Ecoport Socialization Program and the Port Waste Management System on Greenport implementation, exploring synergies between these two initiatives in promoting sustainability within the port sector.

To achieve these objectives, the study will employ a mixed-methods approach, combining quantitative and qualitative data collection and analysis methods. Surveys will be conducted to gather quantitative data on stakeholders' perceptions of the Ecoport Socialization Program and the Port Waste Management System. Additionally, interviews and focus group discussions will be conducted to gain insights into stakeholders' experiences and perspectives regarding these initiatives. Document analysis will also be conducted to assess the effectiveness of the Ecoport Socialization Program and the Port Waste Management System in promoting Greenport implementation.

The findings of this study are expected to contribute to the existing body of knowledge on sustainable port management and green practices. By identifying the factors influencing the successful implementation of Greenport study aims initiatives. the to provide recommendations for enhancing effectiveness of the Ecoport Socialization Program, the Port Waste Management System, and stakeholder engagement in promoting sustainability within the port sector. Ultimately, the research seeks to inform policy and practice in sustainable port management, with the aim of fostering a more environmentally friendly and socially responsible port industry.

METHOD

The research methodology employed in this study is descriptive in nature, utilizing a quantitative approach. Descriptive research involves the collection of data to test hypotheses or address questions concerning individuals' opinions on a specific issue or topic. Quantitative research, on the other hand, focuses on the analysis of numerical data using statistical methods (Banwell, E., Hanley, et al., 2022). Through quantitative methods, the study aims to ascertain the significance of the relationship between variables. Two primary data sources are

utilized in this study: primary and secondary data sources. Primary data is obtained through interviews and questionnaires administered to officials, industry stakeholders, and service users at Tanjung Priok Port. Secondary data, on the other hand, is derived from related documents and literature, including policies and regulations pertaining to Ecoport and Port Waste Management System, as well as data from other ports for comparative analysis.

Observation is a fundamental human activity, involving the use of the senses, particularly sight, along with other senses such as hearing, smell, taste, and touch (Kurilla, 2023). In this study, observation is employed to assess the impact of the Ecoport socialization program and Port Waste Management System on Greenport implementation at Tanjung Priok Port. Interviews serve as the primary method for collecting qualitative data, providing insights into the perceptions and experiences of key stakeholders involved in the Ecoport program and waste management at the port. Interviews will be conducted with officials from PT Pelabuhan Indonesia II (Persero). Environmental Agency, and waste management companies collaborating with PT Pelabuhan Indonesia II in waste management at the port.

Additionally, the documentary method is employed to supplement data collection, involving the capture of visual evidence during the research process. This documentation is typically conducted during interviews or data collection activities. The questionnaire, targeting industry players directly engaged in Greenport implementation at Tanjung Priok Port, including sea transportation entrepreneurs, port managers, shipping agents, and other relevant stakeholders, serves as a key tool for data collection and analysis. The research methodology employed in this study integrates both quantitative and qualitative approaches, utilizing a range of data collection methods to comprehensively assess the impact of the Ecoport socialization program and Port Waste Management System on Greenport implementation at Tanjung Priok Port.

RESULTS & DISCUSSION

Population is a generalization area

consisting of; objects / subjects that have certain qualities and characteristics set by researchers to study and then draw conclusions. (Islam, et al 2024). Population is also not just the number of objects / subjects studied, but includes all the characteristics possessed by the subject. all industry players operating at Tanjung Priok Port who are involved in the implementation of the *Greenport* program. The sample is part of the number and characteristics possessed by the population. If the population is large, and it is not possible for researchers to study everything in the population, for example due to limited funds, energy and time, then research can use samples taken from that population.

Because the population in this study was more than 100 people, the study used a simple random sampling method with the following formula:

 $n/N=n^{\prime}\!/N^{\prime}$

where:

 $n = sample \ size \ required$

N = total population

 $n' = sample \ size \ already \ taken$

 $N' = total\ population\ already\ taken.$

Using this formula, the required sample size can be calculated:

 $n/N = n'/N' \ n/384 = 30/384 \ n = 30 * 384 / 384 \ n = 30$ People

Environment caused by Maritime Business Activities in the Port. Analysis of the data shows variations in the ratings given by respondents to Ecoport socialization, reflected in a range of high (TS and KS), medium (S), to very low (SS) ratings. In the face of these assessments, an in-depth evaluation is needed to factors influenced understand the that respondents' perceptions, such as effectiveness of communication, the approach used, or the adequacy of resources allocated. Such evaluations can be used as a basis for taking the necessary corrective actions. The frequency and percentage distribution results revealed through this research provide a deeper understanding of respondents' perceptions of Ecoport socialization in the context of activities within the port.

Table. 1 Frequency and Percentage Distribution
Based on Ecoport Socialization (X1)

| Based on Leoport Socialization (A1) | | | | | | | | | | | | |
|-------------------------------------|-----|----------|----|----------|----|----------|---|----------|----|----------|-------|-----|
| P | STS | | TS | | KS | | S | | SS | | Total | |
| | F | % | F | % | F | % | F | % | F | % | F | % |
| X1.1 | 0 | 0 | 1 | 5 | 9 | 45 | 5 | 25 | 5 | 25 | 20 | 100 |
| X1.2 | 0 | 0 | 1 | 5 | 9 | 45 | 5 | 25 | 5 | 25 | 20 | 100 |
| X1.3 | 0 | 0 | 0 | 0 | 9 | 45 | 6 | 30 | 5 | 25 | 20 | 100 |
| X1.4 | 0 | 0 | 0 | 0 | 8 | 40 | 6 | 30 | 6 | 30 | 20 | 100 |
| X1.5 | 0 | 0 | 0 | 0 | 9 | 45 | 6 | 30 | 5 | 25 | 20 | 100 |
| X1.6 | 0 | 0 | 0 | 0 | 8 | 40 | 6 | 30 | 6 | 30 | 20 | 100 |
| X1.7 | 0 | 0 | 0 | 0 | 9 | 45 | 6 | 30 | 5 | 25 | 20 | 100 |
| X1.8 | 0 | 0 | 0 | 0 | 8 | 40 | 8 | 40 | 4 | 20 | 20 | 100 |
| X1.9 | 0 | 0 | 0 | 0 | 7 | 35 | 7 | 35 | 6 | 30 | 20 | 100 |
| X1.10 | 0 | 0 | 0 | 0 | 7 | 35 | 7 | 35 | 6 | 30 | 20 | 100 |

In the context of this study, there were variations in the ratings given by respondents to the port's waste management system. Some respondents gave high ratings (TS and KS), indicating satisfaction and recognition of the effectiveness and quality of the waste

management system. Collaborative efforts between interested parties, such as the government, ports and the shipping industry, are needed to improve policies, infrastructure and procedures related to port waste management. Through the results of this

frequency and percentage distribution, aspects of Greenport implementation that need to be enhanced or improved can be identified. An indepth evaluation of the factors that influence respondents' perceptions needs to be conducted, such as environmental awareness, regulatory adequate infrastructure, support, stakeholder engagement. In this study, we used the structural equation modeling-partial least squares (SEM-PLS) data analysis method by utilizing SmartPLS software. Academic views related to the development of the SEM method have been presented by leading experts in this field. In conclusion, based on literature reviews conducted by various experts, it can be suggested that SEM-PLS is an efficient and flexible method for analyzing data with small sample sizes and complex models. (Sarstedt, et al 2024)

Ecoport Socialization (X1) and Port Waste Management System (X2) are able to explain Greenport Implementation (Y) by 59.6%, the remaining 40.4% is explained by other factors. Port Waste Management System (X2) has a positive and significant effect on Greenport Implementation (Y), with a coefficient value (Original Sample column) = 0.579 and P-Values = 0.000 < 0.05 (Hypothesis Accepted). Ecoport socialization (X1) has a positive and significant effect on Greenport Implementation (Y), with a coefficient value (Original Sample column) = 0.455 and P-Values = 0.004 < 0.05(Hypothesis Accepted). It is known that the Q-Square value (O2) of Greenport Implementation (Y) is 0.465 > 0, which means that Ecoport Socialization (X1) and Port Waste Management System (X2) have predictive relevance to *Greenport* Implementation (Y).

Ecoport Socialization and Port Waste Management System From the results of the study, it appears that the socialization of Ecoport and Port Waste Management System has a significant contribution in explaining Greenport Implementation. Therefore, it is recommended to increase socialization efforts and understanding of these two aspects within the port environment. Focus on Greenport Implementation With 59.6% of Greenport implementation can be explained by Ecoport Socialization and Port Waste Management

System. This shows that Greenport implementation is important and needs more attention to achieve success and a greater impact on the environment. By Strengthening the Port Waste Management System It is known that the Port Waste Management System has a positive and significant effect on Greenport Implementation.

CONCLUSION

Ecoport Socialization and Port Waste Management System From the results of the study, it appears that the socialization of Ecoport and Port Waste Management System has a significant contribution in explaining Greenport Implementation. Therefore, it is recommended increase socialization efforts and understanding of these two aspects within the environment. Focus on Implementation With 59.6% of Greenport implementation can be explained by Ecoport Socialization and Port Waste Management System. This shows that Greenport implementation is important and needs more attention to achieve success and a greater impact on the environment. By Strengthening the Port Waste Management System It is known that the Port Waste Management System has a positive significant effect on Greenport Implementation. Therefore, it is recommended to strengthen the waste management system at the port to increase its positive impact on Greenport. Increase Ecoport Socialization Ecoport socialization also has a positive and significant effect on Greenport Implementation. Increasing the level of socialization and understanding of Ecoport among port actors will help achieve better Greenport goals. Model Validation and Development The results of the Q-Square value show the predicted relevance of **Ecoport** Socialization and Port Waste Management System to Greenport Implementation. However, further validation and model development are still needed to ensure the accuracy and completeness of the analysis conducted.

REFERENCES

[1.] Abdul Khalid, S. N., & Musa, Z. (2020). The implementation of Green Port Policy in

- Malaysia: Challenges and strategies. Transportation Research Procedia
- [2.] Akmalia, R., & Syukur, M. (2018). A Review of Port Waste Management System in Indonesia. Journal of Marine and Aquatic Sciences
- [3.] Alexander Purba (2022). Green Port: A Must for International Ports Towards HUB PORT, Engineering Journal Vol. 14 No. 2, accessed on July 2.
- [4.] Banwell, E., Hanley, T., Sefi, A. (2022). Quantitative Practice-Based Research. In: Bager-Charleson, S., McBeath, A. (eds) Supporting Research in Counselling and Psychotherapy. Palgrave Macmillan, Cham.
- [5.] Berg, H. P. (2013). Human factors and safety culture in maritime safety. Marine Navigation and Safety of Sea Transportation: STCW, Maritime Education and Training (MET), Human Resources and Crew Manning, Maritime Policy, Logistics and Economic Matters, 107, 107–115.
- [6.] De Langen, P.W., Woxenius, J., & Heaver, T. (2017). The Port Authority in a Changing Port Industry: A Review. Maritime Economics & Logistics, 19(1), 1-21. doi:10.1057/mel.2016.1
- [7.] Edy Hidayat (2022). Port Planning, Design and Development. Port Reference Series 03 Edition II. Jakarta: PT Pelabuhan, Indonesia I, II, III, IV.2009, accented July 2.
- [8.] Ferreira, P., Magalhães, S., & Caldeirinha, V. (2020). Waste management performance of Portuguese ports: A data envelopment analysis approach. Maritime Policy & Management
- [9.] Figueroa, R.M., Saitua, M.T., & Gualda, N. (2020). Exploring the relationship between green port initiatives and seaport waste management practices: The case of Chilean ports. Marine Policy
- [10.] Fontana, M., & Salzano, E. (2021). The management of port waste: A review and analysis of international regulatory frameworks. Waste Management & Research
- [11.] González-Torre, P., Marín-García, J.A., & Smith, N. (2020). A decision support system for port waste management: Case study in a Spanish port. Environmental

- Science and Pollution Research, 27(14), 15759-15770.
- [12.] Hair, J., Ringle, C. and Sarstedt (2011).
 M. PLS-SEM: Indeed a Silver Bullet.
 Journal of Marketing Theory and Practice,
 19.
- [13.] Heslop, S., & Lu, J. (2017). Sustainability indicators for port cities: a comparative study of the Asian and European perspectives. Maritime Policy & Management, 44(5), 609-627.
- [14.] IMO (International Maritime Organization) (2012). Guidelines for the Development of a National Port Reception Facility Strategy.
- [15.] IMO, S. C. E. (2018). IMO. London.
- [16.] International Association of Ports and Harbors (IAPH). Environmental Ship Index Guidelines for Ports. EcoPorts Toolkit.
- [17.] International Association of Ports and Harbors (IAPH) (2020). Port Sustainability Handbook.
- [18.] Islam, M.M., Mitra, A.K. (2024).
 Population Projection. In: Mitra, A.K. (eds)
 Statistical Approaches for Epidemiology.
 Springer,
 Cham.
 https://doi.org/10.1007/978-3-031-41784-9
 9_13
- [19.] Kurilla, R. (2023). Communication and Observation. In: Group Identity Fabrication Theory. Palgrave Macmillan, Wiesbaden. https://doi.org/10.1007/978-3-658-39967-2_2
- [20.] Ong, T.S., Lee, A.S., Latif, B. et al. (2023). Enabling green shared vision: linking environmental strategic focus and environmental performance through ISO 14001 and technological capabilities. Environ Sci Pollut Res 30, 31711-31726. https://doi.org/10.1007/s11356-022-24280-2
- [21.] Sarstedt, M., Moisescu, OI.(2024). Quantifying uncertainty in PLS-SEM-based mediation analyses. J Market Anal 12, 87-96. https://doi.org/10.1057/s41270-023-00231-9
- [22.] Verschuur, J., Koks, E. E., & Hall, J. W. (2021). Global economic impacts of COVID-19 lockdown measures stand out in high-frequency shipping data. PLOS ONE, 16(4), e0248818.